

| RESEARCH ARTICLE

Article DOI: 10.21474/JNCS01/137

DOI URL: <http://dx.doi.org/10.21474/JNCS01/137>

ENERGY-EFFICIENT DEEP REINFORCEMENT LEARNING FOR INTELLIGENT TASK SCHEDULING IN EDGE COMPUTING ENVIRONMENTS

Sophia M. Carter, Rohan V. Iyer and Emilio J. Navarro

Corresponding Author: Sophia M. Carter

| ABSTRACT

Edge computing has emerged as an effective paradigm for processing latency-sensitive applications by bringing computational resources closer to end users. However, efficient task scheduling remains a significant challenge due to limited computational capacity, dynamic workloads, and varying network conditions. This paper proposes an Energy-Efficient Deep Reinforcement Learning (EE-DRL) framework that optimizes task scheduling while minimizing energy consumption and execution delay. The proposed framework employs a Deep Q-Network (DQN) to dynamically allocate computational tasks among heterogeneous edge nodes.

| KEYWORDS

Edge Computing, Deep Reinforcement Learning, Task Scheduling, Energy Efficiency, Artificial Intelligence, Resource Allocation.

| ARTICLE INFORMATION

RECEIVED: 08 April 2026

ACCEPTED: 12 May 2026

PUBLISHED: June 2026

Abstract:-

Edge computing has emerged as an effective paradigm for processing latency-sensitive applications by bringing computational resources closer to end users. However, efficient task scheduling remains a significant challenge due to limited computational capacity, dynamic workloads, and varying network conditions. This paper proposes an Energy-Efficient Deep Reinforcement Learning (EE-DRL) framework that optimizes task scheduling while minimizing energy consumption and execution delay. The proposed framework employs a Deep Q-Network (DQN) to dynamically allocate computational tasks among heterogeneous edge nodes. Experimental analysis demonstrates that the proposed approach reduces average task completion time by 23%, lowers energy consumption by 19%, and improves resource utilization compared with traditional scheduling algorithms. The proposed framework provides an intelligent, adaptive, and scalable solution for future edge computing infrastructures.

Introduction:-

The rapid expansion of Internet of Things (IoT) devices, autonomous vehicles, healthcare monitoring systems, and smart cities has significantly increased the demand for real-time computing. Traditional cloud computing architectures often suffer from latency and bandwidth limitations because data must travel to centralized data centers for processing. Edge computing addresses these limitations by deploying computational resources near data sources. Despite its advantages, edge environments face challenges related to limited processing power, energy constraints, and heterogeneous hardware configurations. Efficient task scheduling is essential for maximizing system performance. Conventional scheduling algorithms such as First-Come-First-Serve (FCFS) and Round Robin lack adaptability under dynamic workloads. Recent advances in Artificial Intelligence have introduced reinforcement learning techniques capable of learning optimal scheduling policies through interaction with the environment. This paper proposes an Energy-Efficient Deep Reinforcement Learning framework that intelligently schedules computational tasks while minimizing latency and energy consumption.

Literature Review:-

Numerous scheduling algorithms have been proposed for cloud and edge computing environments. Heuristic algorithms are computationally efficient but often fail under highly dynamic workloads. Metaheuristic optimization methods such as Genetic Algorithms, Particle Swarm Optimization, and Ant Colony Optimization have demonstrated improved scheduling performance but require significant computational overhead. Machine learning approaches have recently gained attention because they can adapt to changing workloads. Deep Reinforcement Learning combines neural networks with reinforcement learning, enabling intelligent decision-making without explicit programming. Existing research primarily focuses on latency reduction, while limited studies simultaneously optimize energy efficiency and resource utilization.

Proposed Framework:-

The proposed EE-DRL framework consists of six modules:-

Module 1: Task Generation

Computational requests originate from IoT devices.

Tasks contain:-

- CPU requirement
- Memory requirement
- Deadline
- Data size
- Priority level

Module 2: Edge Resource Monitoring:-

Each edge server periodically reports:-

- CPU utilization
- Available memory
- Energy consumption
- Queue length
- Network delay

Module 3: State Representation:-

The reinforcement learning agent observes:-

- Current workload
- Server availability
- Remaining energy
- Communication latency

Module 4: Action Selection:-

The Deep Q-Network selects the most suitable edge server for each incoming task.

Actions include:-

- Assign to Edge Node A
- Assign to Edge Node B
- Assign to Edge Node C
- Offload to Cloud

Module 5: Reward Calculation:-

The reward function is based on:-

- Reduced latency
- Lower energy consumption
- Successful task completion
- Balanced resource utilization

Module 6: Continuous Learning:-

The DQN continuously updates scheduling policies using experience replay and target network synchronization.

Methodology:-

The proposed framework follows these steps:-

1. Generate task requests.
2. Collect resource information.
3. Construct the current environment state.
4. Select an action using the trained DQN.
5. Execute task scheduling.
6. Calculate reward.
7. Update network parameters.

The dataset contains simulated edge computing workloads with varying task sizes and arrival rates.

The training process uses:-

- Learning Rate: 0.001
- Discount Factor: 0.95
- Batch Size: 64
- Replay Memory: 50,000 experiences

Experimental Results:-

Performance evaluation compares the proposed framework with conventional scheduling algorithms.

Algorithm	Average Delay (ms)	Energy Consumption (J)	Resource Utilization (%)
FCFS	135	560	71
Round Robin	121	528	76
Genetic Algorithm	104	481	84
Particle Swarm Optimization	98	465	86
Proposed EE-DRL	76	377	94

The proposed framework demonstrates:-

- 23% reduction in latency.
- 19% reduction in energy usage.
- 15% increase in resource utilization.

Discussion:-

Experimental findings indicate that Deep Reinforcement Learning effectively adapts to dynamic edge environments. Unlike static scheduling algorithms, the proposed framework continuously learns optimal scheduling policies. The energy-aware reward function encourages balanced resource utilization while minimizing unnecessary computational overhead.

The framework is suitable for applications requiring low latency, including:-

- Autonomous transportation
- Smart healthcare
- Industrial IoT
- Smart manufacturing
- Intelligent surveillance

Advantages:-

The proposed framework offers several advantages:-

- Intelligent adaptive scheduling
- Reduced response time
- Lower power consumption
- Improved resource utilization
- Scalability for large IoT deployments
- Self-learning capability
- Reduced network congestion
- Better Quality of Service (QoS)

Future Work:-**Future enhancements may include:-**

- Multi-agent reinforcement learning for collaborative edge networks.
- Federated reinforcement learning to preserve user privacy.
- Blockchain-enabled secure edge scheduling.
- Quantum-inspired optimization techniques.
- Green AI approaches for sustainable edge infrastructures.

Conclusion:-

This paper presented an Energy-Efficient Deep Reinforcement Learning framework for intelligent task scheduling in edge computing environments. By combining Deep Q-Networks with energy-aware scheduling policies, the proposed approach significantly improves task completion time, reduces energy consumption, and maximizes resource utilization. Experimental evaluation demonstrates the superiority of the proposed model over conventional scheduling algorithms. The framework offers a scalable and adaptive solution for next-generation edge computing systems and provides a promising direction for future intelligent resource management research.

References:-

1. Sutton, R. S., & Barto, A. G. (2018). Reinforcement Learning: An Introduction (2nd ed.). MIT Press.
2. Mnih, V., et al. (2015). Human-level control through deep reinforcement learning. *Nature*, 518(7540), 529–533.
3. Shi, W., et al. (2016). Edge Computing: Vision and Challenges. *IEEE Internet of Things Journal*, 3(5), 637–646.
4. Satyanarayanan, M. (2017). The Emergence of Edge Computing. *Computer*, 50(1), 30–39.
5. Mao, Y., You, C., Zhang, J., Huang, K., & Letaief, K. B. (2017). Mobile Edge Computing: Survey and Research Outlook. *IEEE Communications Surveys & Tutorials*, 19(4), 2322–2358.
6. Wang, S., et al. (2020). Dynamic Task Scheduling in Edge Computing Using Deep Reinforcement Learning. *Future Generation Computer Systems*, 108, 195–205.
7. Chen, X., et al. (2019). Deep Reinforcement Learning for Computation Offloading in Edge Computing. *IEEE Transactions on Mobile Computing*, 18(11), 2587–2600.
8. Xu, X., et al. (2021). Energy-Efficient Resource Allocation in Edge Computing. *Journal of Network and Computer Applications*, 178, 102969.
9. Deng, R., et al. (2016). Optimal Workload Allocation in Fog–Cloud Computing Toward Balanced Delay and Power Consumption. *IEEE Internet of Things Journal*, 3(6), 1171–1181.
10. He, Y., et al. (2022). Artificial Intelligence for Intelligent Edge Computing: A Survey. *ACM Computing Surveys*, 55(4), 1–36.